

Package: RKUM (via r-universe)

September 11, 2024

Type Package

Title Robust Kernel Unsupervised Methods

Version 0.1.1.1

Author Md Ashad Alam

Maintainer Md Ashad Alam <malam@tulane.edu>

Description Robust kernel center matrix, robust kernel cross-covariance operator for kernel unsupervised methods, kernel canonical correlation analysis, influence function of identifying significant outliers or atypical objects from multimodal datasets. Alam, M. A, Fukumizu, K., Wang Y.-P. (2018) <[doi:10.1016/j.neucom.2018.04.008](https://doi.org/10.1016/j.neucom.2018.04.008)>. Alam, M. A, Calhoun, C. D., Wang Y.-P. (2018) <[doi:10.1016/j.csda.2018.03.013](https://doi.org/10.1016/j.csda.2018.03.013)>.

License GPL-3

Encoding UTF-8

Imports stats, graphics

NeedsCompilation no

Date/Publication 2022-06-22 04:50:17 UTC

Repository <https://maalam79.r-universe.dev>

RemoteUrl <https://github.com/cran/RKUM>

RemoteRef HEAD

RemoteSha 2aa108234623688318cc4191125946016967752b

Contents

gkm	2
gm3edc	3
gmedc	4
gmi	4
hadr	5
halfun	5
halofun	6

hudr	7
hulfun	8
hulofun	9
ibskm	9
ifcca	11
ifmkcca	12
ifrcca	13
lcv	14
lkm	14
mdbw	16
medc	17
mvnod	17
ranuf	18
rkcca	18
rkcco	19
rkcm	21
rlogit	22
snpfmridata	22
snpfmrimth3D	24
uDTD	25
Index	26

gkm

*Kernel Matrix Using Gaussian Kernel***Description**

Many radial basis function kernels, such as the Gaussian kernel, map X into a infinite dimensional space. While the Gaussian kernel has a free parameter (bandwidth), it still follows a number of theoretical properties such as boundedness, consistence, universality, robustness etc. It is the most applicable kernel of the positive definite kernel based methods.

Usagegkm(X)**Arguments** X a data matrix.**Details**

Many radial basis function kernels, such as the Gaussian kernel, map input sapce into a infinite dimensional space. The Gaussian kernel has a a number of theoretical properties such as boundedness, consistence, universality and robustness, etc.

Value

K a Gram/ kernel matrix

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md. Ashad Alam, Hui-Yi Lin, HONG-Wen Deng, Vince Calhour Yu-Ping Wang (2018), A kernel machine method for detecting higher order interactions in multimodal datasets: Application to schizophrenia, *Journal of Neuroscience Methods*, Vol. 309, 161-174.

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, *Neurocomputing*, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, *Psychometrika* vol 57(2) (1992) 237-259.

Examples

```
##Dummy data:  
X<-matrix(rnorm(1000),100)  
gkm(X)
```

gm3edc

A helper function

Description

#An matrices dicomposition function

Usage

```
gm3edc(Amat, Bmat, Cmat)
```

Arguments

Amat a square matrix

Bmat a square matrix

Cmat a square matrix

Author(s)

Md Ashad Alam <malam@tulane.edu>

gmedc *A helper function*

Description

#An matrices dicomposition function

Usage

```
gmedc(A, B = diag(nrow(A)))
```

Arguments

A a square matrix
B a diagonal matrix

Author(s)

Md Ashad Alam <malam@tulane.edu>

gmi *A helper function*

Description

###An function to adjust

Usage

```
gmi(X, tol = sqrt(.Machine$double.eps))
```

Arguments

X a square matrix
tol a real value

Author(s)

Md Ashad Alam <malam@tulane.edu>

hadr	<i>Hampel's psi function</i>
------	------------------------------

Description

##The ratio of the first derivative of the Hampel loss function to the argument. Tuning constants are fixed in different quintiles.

Usage

hadr(u)

Arguments

u vector values

Value

a real value

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

#See Also as [gkm](#), [hudr](#)

halfun	<i>A Hampel loss function</i>
--------	-------------------------------

Description

#Tuning constants of the Hampel loss function are fixed in different quintiles of the arguments.

Usage

halfun(u)

Arguments

u vector of values.

Value

comp1 a real number

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, *Neurocomputing*, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, *Psychometrika* vol 57(2) (1992) 237-259.

See Also

See Also as [hulfun](#), [hadr](#), [hudr](#)

halofun

Objective function

Description

Objective function of Hampel's loss function

Usage

halofun(x)

Arguments

x vector values

Value

a real value

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See also as [hulofun](#)

hudr

Huber's psi function

Description

The ratio of the first derivative of the Huber loss function to the argument. Tuning constants is fixed as a median value.

Usage

hudr(x)

Arguments

x vector values

Value

y a real value

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See also as [hadr](#)

hulfun	<i>A Huber loss function</i>
--------	------------------------------

Description

Tuning constants of the Huber loss function are fixed in different quintiles of the arguments.

Usage

hulfun(x)

Arguments

x a vector values

Details

Tuning constants of the Huber function is fixed as a median.

Value

a real number

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See also as [halfun](#)

hulofun	<i>Objective function</i>
---------	---------------------------

Description

Objective function of Huber's loss function

Usage

hulofun(x)

Arguments

x vector values

Value

a real value

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See Also as [halofun](#), ~~~

ibskm	<i>Kernel Matrix Using Identity-by-state Kernel</i>
-------	---

Description

For GWASs, a kernel captures the pairwise similarity across a number of SNPs in each gene. Kernel projects the genotype data from original high dimensional space to a feature space. One of the more popular kernels used for genomics similarity is the identity-by-state (IBS) kernel (non-parametric function of the genotypes)

Usage

```
ibskm(Z)
```

Arguments

Z a data matrix

Details

For genome-wide association study, a kernel captures the pairwise similarity across a number of SNPs in each gene. Kernel projects the genotype data from original high dimensional space to a feature space. One popular kernel used for genomics similarity is the identity-by-state (IBS) kernel, The IBS kernel does not need any assumption on the type of genetic interactions.

Value

K a Gram/ kernel matrix

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md. Ashad Alam, Hui-Yi Lin, HOng-Wen Deng, Vince Calhour Yu-Ping Wang (2018), A kernel machine method for detecting higher order interactions in multimodal datasets: Application to schizophrenia, Journal of Neuroscience Methods, Vol. 309, 161-174.

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See also as [gkm](#), [lkm](#)

Examples

```
##Dummy data:  
X <- matrix(rnorm(200),50)  
ibskm(X)
```

`ifcca`*Influence Function of Canonical Correlation Analysis*

Description

##To define the robustness in statistics, different approaches have been proposed, for example, the minimax approach, the sensitivity curve, the influence function (IF) and the finite sample breakdown point. Due to its simplicity, the IF is the most useful approach in statistical machine learning

Usage

```
ifcca(X, Y, gamma = 1e-05, ncomps = 2, jth = 1)
```

Arguments

X	a data matrix index by row
Y	a data matrix index by row
gamma	the hyper-parameters
ncomps	the number of canonical vectors
jth	the influence function of the jth canonical vector

Value

iflccor	Influence value of the data by linear canonical correlation
---------	---

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See also as [rkcca](#), [ifrkcca](#)

Examples

```
##Dummy data:  
  
X <- matrix(rnorm(500),100); Y <- matrix(rnorm(500),100)  
  
ifcca(X,Y, 1e-05, 2, 2)
```

`ifmkcca`*Influence Function of Multiple Kernel Canonical Analysis*

Description

To define the robustness in statistics, different approaches have been proposed, for example, the minimax approach, the sensitivity curve, the influence function (IF) and the finite sample breakdown point. Due to its simplicity, the IF is the most useful approach in statistical machine learning.

Usage

```
ifmkcca(xx, yy, zz, kernel = "rbfdot", gamma = 1e-05, ncomps = 1, jth=1)
```

Arguments

<code>xx</code>	a data matrix index by row
<code>yy</code>	a data matrix index by row
<code>zz</code>	a data matrix index by row
<code>kernel</code>	a positive definite kernel
<code>ncomps</code>	the number of canonical vectors
<code>gamma</code>	the hyper-parameters.
<code>jth</code>	the influence function of the jth canonical vector

Value

<code>iflccor</code>	Influence value of the data by multiple kernel canonical correlation
----------------------	--

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, *Neurocomputing*, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, *Psychometrika* vol 57(2) (1992) 237-259.

See Also

See also as [ifcca](#)

Examples

```
##Dummy data:

X <- matrix(rnorm(500),100); Y <- matrix(rnorm(500),100); Z <- matrix(rnorm(500),100)

ifmkcca(X,Y, Z, "rbfdot", 1e-05, 2, 1)
```

ifrkcca

*Influence Function of Robust Kernel Canonical Analysis***Description**

##To define the robustness in statistics, different approaches have been proposed, for example, the minimax approach, the sensitivity curve, the influence function (IF) and the finite sample breakdown point. Due to its simplicity, the IF is the most useful approach in statistical machine learning.

Usage

```
ifrkcca(X, Y, lossfu = "Huber", kernel = "rbfdot", gamma = 0.00001, ncomps = 10, jth = 1)
```

Arguments

X	a data matrix index by row
Y	a data matrix index by row
lossfu	a loss function: square, Hampel's or Huber's loss
kernel	a positive definite kernel
gamma	the hyper-parameters
ncomps	the number of canonical vectors
jth	the influence function of the jth canonical vector

Value

ifrkcor	Influence value of the data by robust kernel canonical correlation
ifrkxcv	Influence value of canonical vector of X dataset
ifrkycv	Influence value of canonical vector of Y dataset

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See also as [rkcca](#), [ifrkcca](#)

Examples

```
##Dummy data:
X <- matrix(rnorm(500),100); Y <- matrix(rnorm(500),100)
ifrkcca(X,Y, lossfu = "Huber", kernel = "rbfdot", gamma = 0.00001, ncomps = 10, jth = 2)
```

lcv *A helper function*

Description

#A function

Usage

```
lcv(X, Y, res)
```

Arguments

X	a matrix
Y	a matrix
res	a real value

Author(s)

Md Ashad Alam <malam@tulane.edu>

lkm *Kernel Matrix Using Linear Kernel*

Description

The linear kernel is used by the underlying Euclidean space to define the similarity measure. Whenever the dimensionality is high, it may allow for more complexity in the function class than what we could measure and assess otherwise

Usage

```
lkm(X)
```

Arguments

X a data matrix

Details

The linear kernel is used by the underlying Euclidean space to define the similarity measure. Whenever the dimensionality of the data is high, it may allow for more complexity in the function class than what we could measure and assess otherwise.

Value

K a kernel matrix.

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md. Ashad Alam, Hui-Yi Lin, HONG-Wen Deng, Vince Calhoun Yu-Ping Wang (2018), A kernel machine method for detecting higher order interactions in multimodal datasets: Application to schizophrenia, *Journal of Neuroscience Methods*, Vol. 309, 161-174.

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, *Neurocomputing*, Vol. 304 (2018) 12-29.

Md Ashad Alam, Vince D. Calhoun and Yu-Ping Wang (2018), Identifying outliers using multiple kernel canonical correlation analysis with application to imaging genetics, *Computational Statistics and Data Analysis*, Vol. 125, 70- 85

See Also

See also as [gkm](#), [ibskm](#)

Examples

```
##Dummy data:  
  
X <- matrix(rnorm(500),100)  
lkm(X)
```

mdbw

Bandwidth of the Gaussian kernel

Description

A median of the pairwise distance of the data

Usage

`mdbw(X)`

Arguments

`X` a data matrix

Details

While the Gaussian kernel has a free parameter (bandwidth), it still follows a number of theoretical properties such as boundedness, consistenc, universality, robustness, etc. It is the most applicable one. In a Gaussian RBF kernel, we need to select an appropriate a bandwidth. It is well known that the parameter has a strong influence on the result of kernel methods. For the Gaussian kernel, we can use the median of the pairwise distance as a bandwidth.

Value

`s` a median of the pairwise distance of the X dataset

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md. Ashad Alam, Hui-Yi Lin, HONG-Wen Deng, Vince Calhour Yu-Ping Wang (2018), A kernel machine method for detecting higher order interactions in multimodal datasets: Application to schizophrenia, *Journal of Neuroscience Methods*, Vol. 309, 161-174.

Md. Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, *Neurocomputing*, Vol. 304 (2018) 12-29.

Md. Ashad Alam and Kenji Fukumizu (2015), Higher-order regularized kernel canonical correlation analysis, *International Journal of Pattern Recognition and Artificial Intelligence*, Vol. 29(4) 1551005.

Arthu Gretton, Kenji. Fukumizu, C. H. Teo, L. Song, B. Scholkopf and A. Smola (2008), A Kernel statistical test of independence, in *Advances in Neural Information Processing Systems*, Vol. 20 585–592.

See Also

See also as [lkm](#), [gkm](#)

Examples

```
##Dummy data:
X <- matrix(rnorm(1000),100)
mdbw(X)
```

```
medc A helper function
```

Description

```
# A function
```

Usage

```
medc(A, fn = sqrt)
```

Arguments

```
A          a matrix
fn         a funciton
```

Author(s)

```
Md Ashad Alam <malam@tulane.edu>
```

```
mvnod A helper function
```

Description

```
## A function
```

Usage

```
mvnod(n = 1, mu, Sigma, tol = 1e-06, empirical = FALSE, EISPACK = FALSE)
```

Arguments

```
n          an integer number
mu         a real value
Sigma      a real value
tol        a curection factor
empirical  a logical value
EISPACK    a logical value. TRUE for a complex values.
```

Author(s)

Md Ashad Alam <malam@tulane.edu>

ranuf	<i>A helper function</i>
-------	--------------------------

Description

A function

Usage

ranuf(p)

Arguments

p a real value

Author(s)

Md Ashad Alam <malam@tulane.edu>

rkcca	<i>Robust kernel canonical correlation analysis</i>
-------	---

Description

#A robust correlation

Usage

rkcca(X, Y, lossfu = "Huber", kernel = "rbfdot", gamma = 1e-05, ncomps = 10)

Arguments

X	a data matrix index by row
Y	a data matrix index by row
lossfu	a loss function: square, Hampel's or Huber's loss
kernel	a positive definite kernel
gamma	the hyper-parameters
ncomps	the number of canonical vectors

Value

An S3 object containing the following slots:

rkcor	Robsut kernel canonical correlation
rxcoef	Robsut kernel canonical coeficient of X dataset
rycoef	Robsut kernel canonical coeficient of Y dataset
rxcv	Robsut kernel canonical vector of X dataset
rycv	Robsut kernel canonical vector of Y dataset

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See also as [ifcca](#), [rkcca](#), [ifrkcca](#)

Examples

```
##Dummy data:
X <- matrix(rnorm(1000),100); Y <- matrix(rnorm(1000),100)
rkcca(X,Y, "Huber", "rbfdot", 1e-05, 10)
```

rkcco

Robust kernel cross-covariance opetator

Description

A function

Usage

```
rkcco(X, Y, lossfu = "Huber", kernel = "rbfdot", gamma = 1e-05)
```

Arguments

X	a data matrix index by row
Y	a data matrix index by row
lossfu	a loss function: square, Hampel's or Huber's loss
kernel	a positive definite kernel
gamma	the hyper-parameters

Value

rkcmx	Robust kernel center matrix of X dataset
rkcmy	Robust kernel center matrix of Y dataset
rkcmx	Robust kernel covariacne operator of X dataset
rkcmy	Robust kernel covariacne operator of Y dataset
rkcmx	Robust kernel cross-covariacne operator of X and Y datasets

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, Neurocomputing, Vol. 304 (2018) 12-29.

M. Romanazzi (1992), Influence in canonical correlation analysis, Psychometrika vol 57(2) (1992) 237-259.

See Also

See also as [rkcca](#) [snpfmridata](#), [ifrkcca](#)

Examples

```
##Dummy data:
X <- matrix(rnorm(2000),200); Y <- matrix(rnorm(2000),200)
rkcco(X,Y, "Huber", "rbfdot", 1e-05)
```

rkcm	<i>Robust Kernel Center Matrix</i>
------	------------------------------------

Description

```
# A function
```

Usage

```
rkcm(X, lossfu = "Huber", kernel = "rbfdot")
```

Arguments

X	a data matrix index by row
lossfu	a loss function: square, Hampel's or Huber's loss
kernel	a positive definite kernel

Value

rkcm	a square robust kernel center matrix
------	--------------------------------------

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, *Neurocomputing*, Vol. 304 (2018) 12-29.

Md Ashad Alam, Vince D. Calhoun and Yu-Ping Wang (2018), Identifying outliers using multiple kernel canonical correlation analysis with application to imaging genetics, *Computational Statistics and Data Analysis*, Vol. 125, 70- 85

See Also

See also as [ifcca](#), [rkcca](#), [ifrkcca](#)

Examples

```
##Dummy data:  
  
X <- matrix(rnorm(2000),200); Y <- matrix(rnorm(2000),200)  
  
rkcm(X, "Huber", "rbfdot")
```

rlogit	<i>A helper fuction</i>
--------	-------------------------

Description

#A function to calcualte generalized logit function.

Usage

```
rlogit(x)
```

Arguments

x	a real value to be tranformed
---	-------------------------------

Author(s)

Md Ashad Alam <malam@tulane.edu>

snpfmridata	<i>An example of imaging genetics data to calcualte influential observations from two view data</i>
-------------	---

Description

#A function

Usage

```
snpfmridata(n = 300, gamma=0.00001, ncomps = 2, jth = 1)
```

Arguments

n	the sample size
gamma	the hyper-parameters
ncomps	the number of canonical vectors
jth	the influence function of the jth canonical vector

Value

IFCCAID	Influence value of canonical correlation analysis for the ideal data
IFCCACD	Influence value of canonical correlation analysis for the contaminated data
IFKCCAID	Influence value of kernel canonical correlation analysis for the ideal data
IFKCCACD	Influence value of kernel canonical correlation analysis for the contaminated data
IFHACCAID	Influence value of robsut (Hampel's loss) canonical correlation analysis for the ideal data
IFHACCACD	Influence value of robsut (Hampel's loss) canonical correlation analysis for the contaminated data
IFHUCCAID	Influence value of robsut (Huber's loss) canonical correlation analysis for the ideal data
IFHUCCACD	Influence value of robsut (Huber's loss) canonical correlation analysis for the contaminated data

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, *Neurocomputing*, Vol. 304 (2018) 12-29.

Md Ashad Alam, Vince D. Calhoun and Yu-Ping Wang (2018), Identifying outliers using multiple kernel canonical correlation analysis with application to imaging genetics, *Computational Statistics and Data Analysis*, Vol. 125, 70- 85

See Also

See also as [rkcca](#), [ifrkcca](#), [snpfmr1mth3D](#)

Examples

```
##Dummy data:  
  
n<-100  
  
snpfmrdata(n, 0.00001, 10, jth = 1)
```

snpmrimth3D	<i>An example of imaging genetics and epi-genetics data to calculate influential observations from three view data</i>
-------------	--

Description

#A function

Usage

```
snpmrimth3D(n = 500, gamma = 1e-05, ncomps = 1, jth=1)
```

Arguments

n	the sample size
gamma	the hyper-parameters
ncomps	the number of canonical vectors
jth	the influence function of the jth canonical vector

Value

IFim	Influence value of multiple kernel canonical correlation analysis for the ideal data
IFcm	Influence value of multiple kernel canonical correlation analysis for the contaminated data

Author(s)

Md Ashad Alam <malam@tulane.edu>

References

Md Ashad Alam, Kenji Fukumizu and Yu-Ping Wang (2018), Influence Function and Robust Variant of Kernel Canonical Correlation Analysis, *Neurocomputing*, Vol. 304 (2018) 12-29.

Md Ashad Alam, Vince D. Calhoun and Yu-Ping Wang (2018), Identifying outliers using multiple kernel canonical correlation analysis with application to imaging genetics, *Computational Statistics and Data Analysis*, Vol. 125, 70- 85

See Also

See also as [rkcca](#), [snpmridata](#), [ifrkcca](#)

Examples

```
##Dummy data:  
  
n<-100  
  
snpfmrimth3D(n, 0.00001, 10, 1)
```

udtd	<i>A helper function</i>
------	--------------------------

Description

```
### A function to a measure of a system's real point computing power
```

Usage

```
udtd(x)
```

Arguments

```
x          a real value
```

Author(s)

```
Md Ashad Alam <malam@tulane.edu>
```

Index

gkm, [2](#), [5](#), [10](#), [15](#), [16](#)
gm3edc, [3](#)
gmedc, [4](#)
gmi, [4](#)

hadr, [5](#), [6](#), [7](#)
halfun, [5](#), [8](#)
halofun, [6](#), [9](#)
hudr, [5](#), [6](#), [7](#)
hulfun, [6](#), [8](#)
hulofun, [7](#), [9](#)

ibskm, [9](#), [15](#)
ifcca, [11](#), [12](#), [19](#), [21](#)
ifmkcca, [12](#)
ifrkcca, [11](#), [13](#), [14](#), [19–21](#), [23](#), [24](#)

lcv, [14](#)
lkm, [10](#), [14](#), [16](#)

mdbw, [16](#)
medc, [17](#)
mvnod, [17](#)

ranuf, [18](#)
rkcca, [11](#), [14](#), [18](#), [19–21](#), [23](#), [24](#)
rkcco, [19](#)
rkcm, [21](#)
rlogit, [22](#)

snpfmridata, [20](#), [22](#), [24](#)
snpfmrimth3D, [23](#), [24](#)

udtd, [25](#)